



UKKO

INDUSTRIAL HIGH-BAY LUMINAIRE





UKKO is a compact high-bay platform designed to replace HID lamps up to 400W, offering improved efficiency and optical control for industrial, logistics, and sports environments.

Available in multiple housing sizes and lumen outputs, UKKO accommodates varied ceiling heights and spatial requirements. Its low-profile design supports hook, pendant, or bracket mounting, providing flexibility for both new construction and retrofit applications.


The luminaire offers selectable beam distributions including high-rack optics for vertical aisle illumination and anti-glare configurations for UGR-sensitive environments. Ball-proof certification (DIN 18032-3) qualifies the system for indoor sports facilities where impact resistance is specified.

Engineered for continuous operation in demanding conditions, UKKO delivers uniform distribution with reduced energy consumption and extended maintenance intervals. The platform supports warehouses, production halls, distribution centers, and multipurpose sports facilities requiring reliable, specification-grade illumination.

Durable, adaptable, and thermally efficient—UKKO provides a practical LED solution for industrial lighting upgrades and new installations.




Description	Values
Power	100 W / 150 W / 200 W / 240 W
Luminous flux	14 000 – 37 850 lm
Efficacy	Up to 170 lm/W
Correlated color temperature	3000 K, 4000 K (others on request)
CRI	Ra 80
Light source	Integral LED module
Housing	Die-cast aluminium
Coating	C3 / C5 anti-corrosion class as standard
RAL	RAL 9006 standard, other RAL on request
Material cover	Tempered glass
Screws	304 stainless screws
Driver	Inventronic / Signify
Electrical Class	Class I or Class II
Input voltage	90–305 V AC, 50–60 Hz
Surge protection	Up to 10 kV (L/N – PE)
Functions	1–10 V / DALI-2
Connection	2 m (other lengths available upon request)
Lifetime	100 000 h (at 25 °C)
Ambient temperature	–40 °C to +50 °C
IP Rating	IP66
IK Rating	IK09
Weight	5,3 / 7,8 kg
Certificates	CE, UKCA, HACCP, Ball Test
Warranty	5 years




UKKO OPTICS


S606 anti glare




S616 anti glare




S626 anti glare




S606



S616



S626



Contact us for more optical versions